

Piston Valve Instruments

Alto Horns



Eb Alto Horn AAH 211




AMATI Eb Alto Horn AAH 211

standard model, 3 top action valves, bore 11.7mm, bell 200mm, upright construction, tuning slide water key, lacquer, silver-plated mouthpiece #A16 5, injection molded case # 6631.

Last Update September 2005.

AAH 211

Parts



Parts For AMATI Eb Alto Horn AAH 211.

List #	Part #	Description	Note
1	OZV 211AH L	Bell, engraved with the 'Amati Kraslice' Logo.	
2	DH 004 L	Branch I (Bottom Bend).	
	DH 004 KL	Branch I complete with Bottom Bend Guard.	
3	DH 005 L	Branch II.	
4	DH 055 L	Bottom Bend Guard.	
5	STSK 001 L	Connecting Ferrule, Bell - to - Branch I.	
6	STSK 002 L	Connecting Ferrule, Branch I - to - Branch II.	
7	X 123	Bottom Cap, lacquer.	
8	P 380	Valve Spring.	
9	M 211AH 1K	1st Valve with Valve Guide.	
	M 211AH 2K	2nd Valve with Valve Guide.	
	M 211AH 3K	3rd Valve with Valve Guide.	
9a	Z 1220	Valve Guide.	
9b	S 548 L	Valve Stem.	
10	KOREK M 13*30*6	Valve Stem Cork.	
11	G 004BE	Valve Stem Felt, Blue.	
12	X 129	Top Cap, lacquer.	
13	G 007BE	Top Cap Felt, Blue.	
14	PERLET 13	Pearl Inlay.	
15	X 121	Finger Button, lacquer.	
	X 121 K	Finger Button complete with Pearl, lacquer.	
16	SN 211AH 1K	1st Slide complete, lacquer.	<i>Outer Tubing to be ordered separately.</i>
16a	O 092 L	1st Slide Bow.	
16b	HTA 010 M3 Z1 L	1st Slide Ferrule (1 of 2pcs).	
16c	THE 045 MU3 L	1st Slide Inner Tubing (1 of 2pcs).	
17	THA 050 M3 Z1 L	1st Slide Outer Tubing (1 of 2pcs).	
18	SN 211AH 2K	2nd Slide complete, lacquer.	<i>Outer Tubing to be ordered separately.</i>
18a	O 007 L	2nd Slide Bow.	
18b	S 004 L	2nd Slide Bow Knob.	
18c	HTA 010 M3 Z1 L	2nd Slide Ferrule (1 of 2pcs).	
18d	THE 030 MU3 L	2nd Slide Inner Tubing (1 of 2pcs).	
19	THA 035 M3 Z1 L	2nd Slide Outer Tubing (1 of 2pcs).	
20	SN 211AH 3K	3rd Slide complete, lacquer.	<i>Outer Tubing to be ordered separately.</i>
20a	O 092 L	3rd Slide Bow.	
20b	HTA 010 M3 Z1 L	3rd Slide Ferrule (1 of 2pcs).	
20c	THE 120 MU3 L	3rd Slide Inner Tubing (1 of 2pcs).	
21	THA 125 M3 Z1 L	3rd Slide Outer Tubing (1 of 2pcs).	
22	A AX 0360D MM L	Brace with Plates, 3rd Slide - to - 1st Slide.	
23	PS 211AH L	Valve Casing Assy. without Slides and Thumb Ring.	
	SP 211AH L	Valve Casing Assy. complete with Slides and Thumb Ring.	
24	LS 211AH K	Tuning Slide complete, lacquer.	<i>Outer Tubing to be ordered separately.</i>
24a	OH 04 L	Tuning Slide Bow.	
24b	HTA 015 M3 Z1 L	Tuning Slide Ferrule, small.	
24c	HTA 015 M4 Z1 L	Tuning Slide Ferrule, large.	
24d	THE 070 MU3 L	Tuning Slide Inner Tubing, small.	
24e	THE 070 M4 L	Tuning Slide Inner Tubing, large.	
24f	S 498 L	Waterkey Nipple.	
24g	P 372 L	Waterkey Saddle.	
24h	P 312	Waterkey Spring.	
24i	KOREK VK 4*8.5	Waterkey Lever Cork.	
24j	S 063	Waterkey Screw, lacquer.	
24k	VKM 043	Waterkey Lever, lacquer.	
**	VKM 043 K	Waterkey Assy. complete (List # 24h-24k), lacquer.	
25	THA 073 M3 Z1 L	Tuning Slide Outer Tubing, small.	
26	THA 073 M4 Z1 L	Tuning Slide Outer Tubing, large.	
27	U 211AH L	Mouthpiece Receiver, engraved with Model Number.	<i>For 10.2mm Mouthpiece Shank Diameter.</i>
28	DH 150 L	Mouthpipe.	
	ESO 211AH L	Mouthpipe complete with Mouthpiece Receiver.	
29	D 044 L	Connecting Tube, Tuning Slide - to - 3rd Valve Casing.	
30	SKA 014 M3 Z2 L	Connecting Ferrule.	
31	SKA 011 M3 Z1 L	Connecting Ferrule, Mouthpipe - to - 1st Valve Casing.	
32	S 040	Cardholder Screw, lacquer.	
33	T 029 L	Cardholder Socket with Plate.	
34	H 045 L	Thumb Ring with Plate.	
35	F 019/1 L	Brace, Mouthpipe - to - Bell.	

36	A CX 0370D MM L	Brace with Plates, Bell - to - 1st Slide.	<i>Brace Length to be specified.</i>
37	A CX 0300D MM L	Brace with Plates, Bell - to - Tuning Slide.	<i>Brace Length to be specified.</i>
38	A AX 0060B MM L	Brace with Plates, Branch II - to - Connecting Ferrule.	<i>Brace Length to be specified.</i>
39	A AX 0290D MM L	Brace with Plates, Branch II - to - 3rd Slide.	<i>Brace Length to be specified.</i>
40	A AX 0340D MM L	Brace with Plates, Branch II - to - Tuning Slide.	<i>Brace Length to be specified.</i>
41	A AX 0100D MM L	Brace with Plates, 3rd Slide - to - Tuning Slide.	<i>Brace Length to be specified.</i>

Important:

1/ All metal parts polished and unlacquered, unless otherwise specified. Please specify desired finish, when ordering.

2/ Please indicate the Instrument's Model Number, when ordering.