$\square$ 6 

## Piston Valve Instruments

Trumpets



## Bb Pocket Trumpet ATR 314




## AMATI Bb Pocket Trumpet ATR 314

3 valves, bore 11.1mm, bell 95mm, 3rd slide finger ring, waterkey, brass trimmings, lacquer, silver-plated mouthpiece # 7C, plastic case # 6705.

Last Update February2004

www.amati-denak.cz



## Parts For AMATI Bb Pocket Trumpet ATR 314.

		Parts For AMATI Bb Pocket Trumpet	ATR 314.
List #	# Part #	Description	Note
1	OZV 314TR L	Bell, engraved with the 'Amati Kraslice' Logo.	
2	DH 198 L	Branch I.	
3	X 123	Bottom Cap, lacquer.	
	M 314TR 1	1st Valve.	
4	M 314TR 2	2nd Valve.	
	M 314TR 3	3rd Valve.	
5	Z 0040	Valve Guide.	
6	P 310	Valve Spring.	
7	S 153	Valve Stem Plug.	
8	G 004BE	Valve Stem Plug Felt, Blue.	
9	X 122	Top Cap, lacquer.	
10	G 007BR	Top Cap Felt, Brown.	Also available: G 007RE (red), G 007B (black), G 007GN (green), G 007BE (blue).
11	X 121 K	Finger Button complete with Pearl, lacquer.	
	PERLET 13	Pearl Inlay.	
12			
13	S 498 L	Waterkey Nipple.	
14	P 372 L	Waterkey Saddle.	
15	P 312	Waterkey Spring.	
16	KOREK VK 4*8.5	Waterkey Cork.	
17	S 063	Waterkey Screw, lacquer.	
18	VKM 043	Waterkey Lever, lacquer.	
**	VKM 043 K	Waterkey Assy. complete (List # 15-18), lacquer.	
19	SN 314TR 1K	1st Slide complete, lacquer.	Outer Tubing to be ordered separately.
			Outer Tubling to be ordered separately.
19a		1st Slide Bow.	
	S 497 L	1st Slide Bow Knob.	
-	HTA 007 M2 L	1st Slide Ferrule (1 of 2pcs).	
19d	THE 021.5 M2 L	1st Slide Inner Tubing (1 of 2pcs).	
20	THA 022 M2 L	1st Slide Outer Tubing (1 of 2pcs).	
21	SN 314TR 2K	2nd Slide complete, lacquer.	Outer Tubing to be ordered separately.
21a	O 003 L	2nd Slide Bow.	
21b	S 497 L	2nd Slide Bow Knob.	
21c	HTA 007 M2 L	2nd Slide Ferrule (1 of 2pcs).	
21d	THE 011.5 M2 L	2nd Slide Inner Tubing (1 of 2pcs).	
22	THA 013 M2 L	2nd Slide Outer Tubing (1 of 2pcs).	
23	SN 314TR 3K	3rd Slide complete, lacquer.	Outer Tubing to be ordered separately.
23a		3rd Slide Bow.	
	H 069 L	3rd Slide Finger Ring with Plate.	
	HTA 008 M2 L	3rd Slide Ferrule (1 of 2pcs).	
_			
-	THE 034 M2 L	3rd Slide Inner Tubing (1 of 2pcs).	
24	THA 035 M2 L	3rd Slide Outer Tubing (1 of 2pcs).	
25	DK 002	3rd Slide Bumper (1 of 2pcs).	
26	LS 314TR K	Tuning Slide complete, lacquer.	Outer Tubing to be ordered separately.
26a	O 069 L	Tuning Slide Bow.	
26b	HTA 015 M2 L	Tuning Slide Ferrule (1 of 2pcs).	
26c	THE 078 M2 L	Tuning Slide Inner Tubing (1 of 2pcs).	
27	THA 076.5 M2 L	Tuning Slide Outer Tubing (1 of 2pcs).	
28	O 083 L	Connecting Bow, large.	
29	O 004 L	Connecting Bow, small (1 of 2pcs).	
30	R 023 L	Connecting Crook.	
31	R 527 L	Connecting Crook.	
32	R 528 L	Connecting Crook.	
33	H 178 L	Connecting Ferrule, large.	
33	H 178 L H 111 L		
-		Connecting Ferrule, small (1 of 2pcs).	
35	H 191 L	Connecting Ferrule at 3rd Valve Casing.	
36	H 192 L	Connecting Ferrule at 1st Valve Casing (1 of 2pcs).	
37	U 314TR L	Mouthpiece Receiver.	
38	DH 199 L	Mouthpipe.	
**	ESO 314TR L	Mouthpipe complete with Mouthpiece Receiver.	
39	F 013 L	Mouthpipe Right Hand Pinky Hook.	
40	S 040	Cardholder Screw, lacquer.	
41	T 338 L	Cardholder Socket with Plate.	
	PS 314TR L	Valve Casing Assy. without Slides.	Valves to be ordered separately.
42	SP 314TR L	Valve Casing Assy. complete with Slides.	Valves to be ordered separately.
43	A LX 0190D MM L	Brace with Plates, Bell - to - 3rd Slide.	Brace Length to be specified.

44	A GX 0030B MM L	Brace with Plates, 3rd Slide - to - Connecting Ferrule.	Brace Length to be specified.
45	A AB 0010B MM L	Brace with Plates, 2nd Valve Casing - to - Connecting Ferrule.	Brace Length to be specified.
46	A AB 0050B MM L	Brace with Plates, 2nd Valve Casing - to - Bell.	Brace Length to be specified.
		Brace with Plates, 1st Valve Casing - to - Mouthpiece Receiver.	
		Brace with Plates, 2nd Valve Casing - to - Mouthpipe.	
47	A LB 0070B MM L	Brace with Plates, 2nd Valve Casing - to - Tuning Slide.	Brace Length to be specified.
		Brace with Plates, 1st Valve Casing - to - Tuning Slide.	
		Brace with Plates, 3rd Valve Casing - to - Tuning Slide.	

Important:

1/ All metal parts polished and unlacquered, unless otherwise specified. Please specify desired finish, when ordering. 2/ Please indicate the Instrument's Model Number, when ordering.