

Piston Valve Instruments

Sousaphones



BBb Sousaphone ASH 260





AMATI BBb Sousaphone ASH 260

3 valves, bore 16.2mm, bell 610mm, tuning slide waterkey, brass trimmings, lacquer, silver-plated mouthpiece # 24AW, cover # 7149.

Last Update March2004

www.amati-denak.cz





Parts For AMATI BBb Sousaphone ASH 260.

		Parts For AMATI BBb Sousaphone ASH	260.
List #	# Part #	Description	Note
		Bell Section	
1	TAL 260 L	Bell Plate.	
	KV 260 L	Bell Bow.	
2	KV 260 KL	Bell Bow complete with Guard.	
3	STDH 109 L	Bell Bow Guard.	
4	STSK 035 L	Connecting Ring, Bell Plate - to Bell Bow.	
-5	SK 036 L	Connecting Ring, Bell - to - Body, inside part (Bell Ring).	
**		3	
	TAL 260SH	Bell Assy. complete (List # 1-5), engraved, lacquer.	
		Body Section	
6	KM 260 L	Body Bow.	
7	DH 070 L	Branch I.	
8	DH 071 L	Branch II.	
9	DH 081 L	Branch III.	
10	DH 082 L	Branch IV.	
11	DH 103 L	Branch I Guard.	
12	WX 50ST L	Branch I Guard Comb.	
13	SK 037 L	Connecting Ring, Bell - to - Body, outside part (Body Ring).	
14	STSK 028 L	Connecting Ferrule, Body Bow - to - Branch I.	
15	STSK 029 L	Connecting Ferrule, Branch I - to - Branch II.	
	STSK 001L	Connecting Ferrule, Branch II - to - Branch III.	
	STSK 001L	Connecting Ferrule, Branch III - to - Branch IV.	
18	T 072 L	Thread Socket with Plate (1 of 3pcs).	
19	X 127	Bottom Cap, lacquer.	
20	P 382	Valve Spring.	
	M 260SH 1K	1st Valve with Valve Guide.	
21	M 260SH 2K	2nd Valve with Valve Guide.	
	M 260SH 3K	3rd Valve with Valve Guide.	
22	Z 1220	Valve Guide.	
	KOREK M 15*30*6	Valve Stem Cork.	
24	G 004BE	Valve Stem Felt, Blue.	
25	X 126	·	
		Top Cap, lacquer.	
26	G 012BE	Top Cap Felt, Blue.	
	X 128 K	Finger Button complete with Pearl, lacquer.	
28	PERLET 17	Pearl Inlay.	
29	T 055	Bell Retaining Screw (1 of 3pcs), lacquer.	
30	S 499 L	Waterkey Nipple.	
31	P 372 L	Waterkey Saddle.	
32	P 312	Waterkey Spring.	
33	KOREK VK 4*8.5	Waterkey Cork.	
34	S 063	Waterkey Screw, lacquer.	
35	VKM 043	Waterkey Lever, lacquer.	
**	VKM 043 K	Waterkey Assy. complete (List # 32-35), lacquer.	
==	0110/001141/		0
36	SN 260SH 1K	1st Slide complete, lacquer.	Outer Tubing to be ordered separately.
36a	O 019 L	1st Slide Bow.	
	S 004 L	1st Slide Bow Knob (1 of 2pcs).	
36c	HTA 020 M8 L	1st Slide Ferrule (1 of 2pcs).	
36d	THE 147 M8 L	1st Slide Inner Tubing (1 of 2pcs).	
37	THA 150 M8 L	1st Slide Outer Tubing, short.	
38	THA 270 M8 L	1st Slide Outer Tubing, long.	
39	THE 124 M8 L	1st Slide Outer Tubing (long) Insert.	
40	SN 260SH 2K	2nd Slide complete, lacquer.	Outer Tubing to be ordered separately.
40a		2nd Slide Bow.	, ,
	H 052 L	2nd Slide Bow Ring with Plate.	
	HTA 015 M8 L	2nd Slide Ferrule (1 of 2pcs).	
40d	THE 090 M8 L	2nd Slide Inner Tubing, short.	
		<u> </u>	
	THE 110 M8 L	2nd Slide Inner Tubing, long.	
41	THA 105 M8 L	2nd Slide Outer Tubing, short.	
42	THA 120 M8 L	2nd Slide Outer Tubing, long.	
43	SN 260SH 3K	3rd Slide complete, lacquer.	Outer Tubing to be ordered separately.
43a	O 183 L	3rd Slide Bow.	
43b	HTA 015 M8 L	3rd Slide Ferrule (1 of 2pcs).	
43c	THE 080 M8 L	3rd Slide Inner Tubing, short.	
43d	THE 090 M8 L	3rd Slide Inner Tubing, long.	
44	THA 090 M8 L	3rd Slide Outer Tubing, short.	
45	THA 105 M8 L	3rd Slide Outer Tubing, long.	

46	LS 260SH K	Tuning Slide complete, lacquer.	Outer Tubing to be ordered separately.
	O 185 L	Tuning Slide Bow.	Cates racing to 20 oracion copulatory.
	HTA 020 M8 L	Tuning Slide Ferrule (1 of 2pcs).	
	THE 160 M8 L	Tuning Slide Inner Tubing (1 of 2pcs).	
47	THA 170 M8 L	Tuning Slide Outer Tubing (1 of 2pcs).	
48	DH 155 L	Lower Mouthpipe.	
49	S 019 L	Thumb Ring without Plate.	
50	P 398 L	Lower Mouthpipe Brace (1 of 2pcs).	
51	SO 260SH L	Upper Mouthpipe Receiver.	
52	DH 186 L	Crook, large.	
53	R 482 L	Crook, small (1 of 2pcs).	
54	O 198 L	Bow.	
55	D 043 L	Connecting Tube.	
56	P 222 L	Plate (Branch II.).	
57	S 147 L	Brace Socket (Branch II.)\.	
58	P 160 L	Plate (Body Bow).	
59	S 147B L	Brace Socket (Body Bow)	
60	STE 098 M2 L	Brace Rod, Body Bow - to - Branch II.	
	P 389M L	Plate (Branch I.).	
61		Plate (1st Slide).	
		Plate (Thumb Ring).	
62	S 628A L	Brace Socket (Branch I.).	
63	S 628B L	Brace Socket (1st Slide).	
64	STSH 007.1 L	Brace Rod.	
65	H 097 L	Connecting Ring.	
66	H 096 L	Connecting Ring.	
67	H 095 L	Connecting Ring.	
68	H 094 L	Connecting Ring (1 of 3pcs).	
	PS 260SH L	Valve Casing Assy. without Slides.	Valves to be ordered separately.
69	SP 260SH L	Valve Casing Assy. complete with Slides.	Valves to be ordered separately.
	A CX 0050B MM L	Brace with Plates, Branch I - to - Branch III (1 of 2pcs).	Brace Length to be specified.
70		Brace with Plates, Branch II - to - Branch IV (1 of 2pcs).	
71	A AX 0070B MM L	1st Slide Brace with Plates.	Brace Length to be specified.
	A AX 0140D MM L	Brace with Plates, 1st Slide - to - 2nd Slide.	Brace Length to be specified.
	A AX 0150D MM L	Brace with Plates, 2nd Slide - to - 3rd Slide.	Brace Length to be specified.
	A AX 0110D MM L	Brace with Plates, 1st Slide - to - Tuning Slide (1 of 2pcs).	Brace Length to be specified.
75	A AX 0150D MM L	Brace with Plates, 3rd Slide - to - Branch IV.	Brace Length to be specified.
	A AX 0080B MM L	Brace with Plates, 3rd Slide - to - Tuning Slide.	Brace Length to be specified.
77	A AB 0090B MM L	Brace with Plates, Lower Mouthpipe - to - 1st Valve Casing.	Brace Length to be specified.
**	TO 260SH K	Body Assy. complete (List # 6-77), lacquer.	J
		Process of the second	

Important:

1/ All metal parts polished and unlacquered, unless otherwise specified. Please specify desired finish, when ordering.

^{2/} Please indicate the Instrument's Model Number, when ordering.